Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5912465").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:41
S2	31	250/214\$.ccls. and (thin adj film tft) and capacitor and polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:46
<b>S</b> 3	47	250/208.1.ccls. and (thin adj film tft) and capacitor and polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 14:08
S4	2	"4,689,487".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 12:35
S5	64363	(thin adj film tft) with (photo photoelectric photosensitiv\$3 photoconvert\$4 light imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:47
S6	23138	(thin adj film tft) near3 (photo photoelectric photosensitiv\$3 photoconvert\$4 light imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:50
S7	7772	(thin adj film adj transistor\$1 tft) near3 (photo photoelectric photosensitiv\$3 photoconvert\$4 light imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 14:08
<b>S8</b>	755	(thin adj film adj transistor\$1 tft) near3 (photo photosensitiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:56
S9	143	(photo photosensitiv\$3 photosens\$3) adj (thin adj film adj transistor\$1 tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 14:07

			T	<del></del>		<del></del> -1
S10	2	"5184007".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 17:13
S11	410	250/208.1.ccls. and (thin adj film tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 14:08
S13	125	(thin adj film adj transistor\$1 tft) near3 (photo photoelectric photosensitiv\$3 photoconvert\$4 light imag\$3) and (revers\$3 var\$4 chang\$4 alter\$4 invert\$4) near3 polarity same capacit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57
S14	144	250/208.1,214r.ccls. and (switch\$3 revers\$3 var\$4 chang\$4 alter\$4 invert\$4) near3 polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57
S15	1	10/695386	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:55
S16	2	"6914230".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:26
S17	1	("3727076").PN. OR ("6914230"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/14 15:27
S18	35	baer-richard-l.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/14 15:27
S19	3	baer-richard-l.in. and polarity	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/14 15:27
S20	106	348/307.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57
S21	18	348/307.ccls. and (thin adj film tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57

			1	T		
S22	11	348/307.ccls. and (switch\$3 revers\$3 var\$4 chang\$4 alter\$4 invert\$4) near3 polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:02
S23	1895	250/214.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:03
S24	2796	250/208.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:02
S25	582	250/214a.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:22
S26	579	348/300-302.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:22
S27	70	348/300-302.ccls. and (thin adj film tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:32
S28	43	348/300-302.ccls. and (switch\$3 revers\$3 var\$4 chang\$4 alter\$4 invert\$4) near3 polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:32
S29	1076	257/290,291.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:32
S30	54	257/290,291.ccls. and (switch\$3 revers\$3 var\$4 chang\$4 alter\$4 invert\$4) near3 polarity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 17:05
S31	2	"5912465".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 17:13

600			1.0.55		T ===	
S32	13	("4376888"   "4931661"     "5306648"   "5338690"     "5629524").PN. OR ("5912465").   URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 11:29
S33	3584	"250"/\$.ccls. and (positive near2 (potential voltage) same negative near2 (potential voltage))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 11:30
S34	506	"250"/\$.ccls. and (positive near4 (potential voltage source power supply) same negative near4 (potential voltage source power supply)) and (tft thin adj film)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 11:31
S35	151	"250"/\$.ccls. and (positive near4 (potential voltage source power supply) same negative near4 (potential voltage source power supply)) and (tft thin adj film) with (photo photoelectric photosensitiv\$3 photoconvert\$4 light imag\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 11:34
S36	1	"6245601".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 11:41
S37	1	"6516098".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 11:41
S38	2	"20030156230".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:42
S39	2	"20030218116".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:46
S41	· 2	"6831710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:51
S42	45	jitsukaihei	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:52
S49	14	thin adj film adj optical adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 16:05

S50 106 kanbara-minoru.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/11/15 16:06
----------------------------	---	----	-----	------------------